

D-ROC[®]

CUT-RESISTANT COATED GLOVES

magidglove.com



SHOP NOW



WHY CHOOSE A D-ROC[®] GLOVE?

PREMIUM HAND PROTECTION.

SUPERIOR GRIP

- ✓ Excellent grip in dry, wet & oily conditions

CUT PROTECTION

- ✓ Highest levels lightweight protection
- ✓ Dexterous

DURABILITY

- ✓ Long-lasting comfort
- ✓ Seamless
- ✓ Form-fitting

YOUR PARTNER IN SAFETY

Our mission is to provide the expertise and revolutionary innovations in PPE that help you keep your workers safe. The relationships we build with our customers drive everything we do as we get to know you and your unique needs.

SHOP NOW



GAUGE & DEXTERITY

- ▶ Thicker construction
- ▶ Less dexterity




- ▶ Thinner construction
- ▶ Improved dexterity

APPLICATIONS BY CUT LEVEL

Cut level	Weight (grams) needed to cut through materials 20mm blade travel	The right cut protection depends on many factors, here are some guidelines for typical applications
 A1	200 - 499	Assembly, Maintenance, Material Handling, and Shipping & Receiving
 A2	500 - 999	Assembly, Appliance Manufacturing, Automotive, Construction, Maintenance, Material Handling, and Metal Handling
 A3	1,000 - 1,499	
 A4	1,500 - 2,199	Appliance Manufacturing, Automotive, Construction, Glass Handling, Machining, Metal Handling, and Metal Stamping
 A5	2,200 - 2,999	
 A6	3,000 - 3,999	Appliance Manufacturing, Automotive, Construction, Glass Handling, Machining, Metal Handling, Metal Stamping, and Paper Production
 A7	4,000 - 4,999	Automotive Manufacturing, Manufacturing, Metal Fabrication, Household Appliance Assembly, Aerospace Manufacturing, and Glass Fabrication
 A8	5,000 - 5,999	
 A9	6,000+	

COATING OPTIONS

POLYURETHANE



- ▶ Soft, flexible coating offers best dexterity and tactile sensitivity
- ▶ Most popular palm coating choice based on comfort and grip

NITRIX® GRIP



- ▶ Sandy texture improves non-slip grip when working with heavy oils and liquids
- ▶ Excellent abrasion, puncture, cut, and snag resistance
- ▶ Excellent oil grip

NITRILE



- ▶ Tough coating offers best abrasion and puncture resistance
- ▶ Stands up well against oil

FOAM NITRILE



- ▶ Foam texture improves non-slip grip when working with oils and liquids
- ▶ Excellent abrasion, puncture, and snag resistance

FOAM NEOPRENE



- ▶ Optimal flame and heat resistance
- ▶ Excellent grip in dry, oily, and wet conditions

LATEX




- ▶ Provides best overall dry grip of any coating
- ▶ Products containing latex may cause allergic reactions in some individuals

REPTek® SILICONE



- ▶ Excellent dry grip with adhesion resistance
- ▶ Increased heat resistance

TRITEK PALM®



- ▶ Flexible dual-layer coating for advanced oil grip without saturation
- ▶ Excellent abrasion resistance

NON-MARRING CRINKLE LATEX



- ▶ Formulated to prevent glass marring
- ▶ Soft, flexible, and two times more durable than standard crinkle latex

VERSATEK GRIP®




- ▶ Delivers over 50% more abrasion resistance than other coatings
- ▶ Adapts to amplify grip ability in wet, dry, or oily environments
- ▶ Flexes with natural hand movements for precision handling of small parts

HYPERON®

Where strong, durable protection is needed

CUT LEVELS



LIGHTWEIGHT STRENGTH

Pound-for-pound, up to 15X stronger than steel

DURABLE PROTECTION

Resists water, chemicals, and UV light better than Aramid

VARIETY OF CUT LEVELS

Diverse blends enable a wide range of cut protection

CUT RESISTANT SHELL MATERIALS

AERODEX®

Where the lightest cut protection is needed

CUT LEVELS



MAXIMUM DEXTERITY

Unmatched tactile sensitivity that is agile enough for any job

ULTRA-LIGHTWEIGHT

Over 50% lighter than HPPE of the same cut level for a bare-hand feel

COOL & BREATHABLE

Specially engineered to make your hands feel cooler

DX+ TECHNOLOGY®

Where lightweight, high cut level coreless protection is needed

CUT LEVELS



HIGH LEVEL, CORELESS COMFORT

Highest levels of coreless cut resistance available

THINNER, LIGHTWEIGHT CUT RESISTANCE

30% lighter than comparable HPPE blends

NON-IRRITATING KNIT SHELL

No irritation and discomfort from fiberglass and steel

DX TECHNOLOGY®

Applications where lightweight coreless protection is needed

CUT LEVELS



CORELESS COMFORT

No irritation or discomfort from fiberglass and steel

LIGHTWEIGHT CUT RESISTANCE

20% lighter than comparable HPPE blends

COOL TO THE TOUCH

Cooling sensation keeps hands comfortable while working

DURABLEND®

Where economical cut protection is needed

CUT LEVELS



ESSENTIAL COMFORT

Lightweight yarn blend that delivers comfortable and reliable protection


AFFORDABLE CONSTRUCTION

Cost-effective cut resistance to meet the needs of any safety program

ARAMID

Where flames or sparks are present

CUT LEVELS



ENHANCED STRENGTH

Pound-for-pound, up to 5x stronger than steel

HEAT & FLAME RESISTANT

Yarn is inherently heat and flame resistant

ZIG TECHNOLOGY

Where lightweight cut protection and dexterity is needed

CUT LEVELS



UNPARALLED DEXTERITY

Ultra-thin 21-gauge knit construction with bare hand feel

EXTREME COMFORT

Lightweight fiber technology enhances comfort and compliance

AERODEX® FR

Where comfortable, lightweight flame and cut resistance is required

CUT LEVELS



FR COMFORT & CUT RESISTANCE

No discomfort from fiberglass and steel

UNMATCHED DEXTERITY

Thinnest, lightweight FR shell/palm coating

COOL & BREATHABLE

Engineered to feel cooler against the skin



POLYURETHANE

INNOVATIVE TECHNOLOGY

GPD213

- ▶ Ultra-thin fibers
- ▶ Unparalleled dexterity
- ▶ Lightweight



GPD252

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ Best value



GPD510

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ High puncture resistance



GPD580

- ▶ Hyperon®
- ▶ 18-gauge
- ▶ Lightweight



GPD282

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ Silicone-free



GPD546

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Silicone-free



CT500 (ChromaTek®)

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ Available in multiple colors: ■ ■



GP149

- ▶ 100% polyester
- ▶ 13-gauge
- ▶ Nitrile dotted palm
- ▶ Silicone free
- ▶ Contact Heat Level 5



NITRIX® GRIP

GPD700

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ High abrasion resistance



GPD730

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Full coat
- ▶ Double-dip



GPD249

- ▶ Aramid
- ▶ 13-gauge
- ▶ Nitrile dotted palm
- ▶ Contact Heat Level 5



WINTER

HV200W

- ▶ 100% Polyester with Insulcore® liner
- ▶ 13-gauge
- ▶ ¾ coat
- ▶ Hi-vis



HV250W

- ▶ 100% Polyester with Insulcore® liner
- ▶ 13-gauge
- ▶ Waterproof
- ▶ Hi-vis



OTHER

FOAM NITRILE

GPD256

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ Best value



WINTER – FOAM NITRILE

BP200W

- ▶ Nylon with Insulcore® Liner
- ▶ 15-gauge
- ▶ Water Repellent Finish
- ▶ EN511 Resistance to Contact



WINTER – LATEX

GP400W

- ▶ Acrylic with Insulcore® liner
- ▶ 10-gauge
- ▶ Hides dirt



TRITEK PALM®

INNOVATIVE TECHNOLOGY

GPD248

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ Hi-vis
- ▶ Touchscreen



TRITEK PALM®

INNOVATIVE TECHNOLOGY

GP148

- ▶ Nylon & spandex blend
- ▶ 15-gauge



SHOP NOW



RAC
MAGID®
GP102

m
MAGID

POLYURETHANE

GPD520B

- ▶ DuraBlend®
- ▶ 15-gauge
- ▶ Hides dirt

**GPD525HV**

- ▶ DuraBlend®
- ▶ 15-gauge
- ▶ Hi-vis

**GPD267**

- ▶ Hyperon®
- ▶ 15-gauge

**GPD352**

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ ESD

**DXG22**

- ▶ DX Technology®
- ▶ 18-gauge
- ▶ Coreless
- ▶ No irritation
- ▶ Cool to the touch



NITRIX® GRIP

GPD255

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ Best value

**GPD350**

- ▶ Hyperon®
- ▶ 18-gauge
- ▶ Full coat
- ▶ Chemical resistant
- ▶ Waterproof



FOAM NITRILE

KEV4319

- ▶ Aramid
- ▶ 13-gauge
- ▶ Heat & flame resistant

**GPD583**

- ▶ Hyperon®
- ▶ 18-gauge
- ▶ Lightweight
- ▶ Foam nitrile



OTHER



SHOP NOW



POLYURETHANE

GPD452

- ▶ DuraBlend®
- ▶ 13-gauge
- ▶ Best value



ANSI
A4
Cut

ANSI
5
Abrasion

ANSI
4
Puncture

GPD514

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ High puncture resistance



ANSI
A4
Cut

ANSI
5
Abrasion

ANSI
5
Puncture

INNOVATIVE TECHNOLOGY**GPD412**

- ▶ Ultra-thin fibers
- ▶ 21-gauge
- ▶ Extreme comfort



REINFORCED

TOUCHSCREEN

ANSI
A4
Cut

ANSI
3
Abrasion

ANSI
4
Puncture

GPD534

- ▶ Hyperon®
- ▶ 10-gauge
- ▶ High abrasion resistance



ANSI
A4
Cut

ANSI
6
Abrasion

ANSI
3
Puncture

GPD482

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity



TOUCHSCREEN

ANSI
A4
Cut

ANSI
4
Abrasion

ANSI
3
Puncture

GPD545HV

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Hi-vis



ANSI
A4
Cut

ANSI
4
Abrasion

ANSI
4
Puncture

GPD467

- ▶ Hyperon®
- ▶ 15-gauge



TOUCHSCREEN

ANSI
A4
Cut

ANSI
6
Abrasion

ANSI
4
Puncture

GPD584

- ▶ Hyperon®
- ▶ 18-gauge
- ▶ Lightweight



ANSI
A4
Cut

ANSI
4
Abrasion

ANSI
4
Puncture

KEV8627

- ▶ Aramid with steel
- ▶ 13-gauge
- ▶ Heat & flame resistant



ANSI
A4
Cut

ANSI
3
Abrasion

ANSI
3
Puncture

DXG42

- ▶ DX Technology®
- ▶ 13-gauge
- ▶ Coreless
- ▶ No irritation
- ▶ Cool to the touch



ANSI
A4
Cut

ANSI
6
Abrasion

ANSI
4
Puncture

NITRIX® GRIP

GPD455

- ▶ DuraBlend®
- ▶ 13-gauge
- ▶ Best value



ANSI
A4
Cut

ANSI
5
Abrasion

ANSI
4
Puncture

GPD780

- ▶ Hyperon®
- ▶ 10-gauge



ANSI
A4
Cut

ANSI
4
Abrasion

ANSI
4
Puncture

GPD780RT

- ▶ Hyperon®
- ▶ 10-gauge



REINFORCED

ANSI
A4
Cut

ANSI
4
Abrasion

ANSI
4
Puncture

NITRIX® GRIP

GPD565HV

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Hi-vis



GPD495

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ ¾ coat
- ▶ Double-dip



GPD484

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Full coat
- ▶ Chemical resistant
- ▶ Waterproof



WINTER

HV550W

- ▶ Hyperon® with Insulcore® liner
- ▶ 15-gauge
- ▶ Hi-vis
- ▶ Waterproof



FOAM NITRILE

GPD456

- ▶ DuraBlend®
- ▶ 13-gauge
- ▶ Best value



GPD586

- ▶ Hyperon®
- ▶ 18-gauge
- ▶ Lightweight



GPD469

- ▶ Hyperon®
- ▶ 18-gauge
- ▶ Dotted palm



TRITEK PALM®

INNOVATIVE TECHNOLOGY

GPD416

- ▶ Ultra-thin fibers
- ▶ 21-gauge
- ▶ Extreme comfort



DXG48

- ▶ DX Technology®
- ▶ 13-gauge
- ▶ Coreless
- ▶ No irritation
- ▶ Cool to the touch



LATEX

KEV6529

- ▶ 100% Aramid
- ▶ 10-gauge
- ▶ Heat & flame resistant
- ▶ Heavy duty



SHOP NOW



POLYURETHANE

GPD591

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ No steel
- ▶ Best value



ANSI
A5
Cut

ANSI
6
Abrasion

ANSI
4
Puncture

GPD590

- ▶ Hyperon®
- ▶ 10-gauge



ANSI
A5
Cut

ANSI
6
Abrasion

ANSI
3
Puncture

INNOVATIVE TECHNOLOGY

DXPG52

- ▶ DX+ Technology®
- ▶ 15-gauge
- ▶ Coreless
- ▶ No irritation
- ▶ Cool to the touch



ANSI
A5
Cut

ANSI
4
Abrasion

ANSI
2
Puncture

GPD824

- ▶ Aramid blend
- ▶ 18-gauge
- ▶ Lightweight
- ▶ Heat & flame resistant



ANSI
A5
Cut

ANSI
3
Abrasion

ANSI
2
Puncture

NITRIX® GRIP

PPD520

- ▶ DuraBlend®
- ▶ 15-gauge
- ▶ Hi-vis
- ▶ Padded Palm



PADDED

ANSI
A5
Cut

ANSI
3
Abrasion

ANSI
3
Puncture

GPD549

- ▶ Aramid
- ▶ 13-gauge
- ▶ Nitrile dotted palm
- ▶ Contact Heat Level 5



REINFORCED

ANSI
A5
Cut

ANSI
4
Abrasion

ANSI
3
Puncture



OTHER

FOAM NITRILE

GPD844

- ▶ Aramid blend
- ▶ 18-gauge
- ▶ Lightweight
- ▶ Heat & flame resistant
- ▶ Foam nitrile



ANSI
A5
Cut

ANSI
4
Abrasion

ANSI
2
Puncture

GPD790HV

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Hi-vis
- ▶ Foam nitrile



ANSI
A5
Cut

ANSI
5
Abrasion

ANSI
3
Puncture

GPD486

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity



TOUCHSCREEN

ANSI
A5
Cut

ANSI
5
Abrasion

ANSI
3
Puncture

WINTER – FOAM NITRILE

INNOVATIVE TECHNOLOGY

DXPG59Q

- ▶ DX+ Technology®
- ▶ 18-gauge
- ▶ Coreless
- ▶ No irritation
- ▶ 3/4 coat



ANSI
A5
Cut

ANSI
5
Abrasion

ANSI
4
Puncture

INNOVATIVE TECHNOLOGY

DXPG59F

- ▶ DX+ Technology®
- ▶ 18-gauge
- ▶ Coreless
- ▶ No irritation
- ▶ Full coat



ANSI
A5
Cut

ANSI
5
Abrasion

ANSI
4
Puncture

GPD526W

- ▶ Hyperon®
- ▶ 15-gauge
- ▶ Merino wool liner
- ▶ Water-repellent



WINTER

TOUCHSCREEN

ANSI
A5
Cut

ANSI
5
Abrasion

ANSI
4
Puncture

REPTEK® SILICONE

INNOVATIVE TECHNOLOGY

GPD487

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Adhesion resistant



ANSI
A5
Cut

ANSI
6
Abrasion

ANSI
3
Puncture

VERSATEK GRIP®

INNOVATIVE TECHNOLOGY

DXPG53

- ▶ DX+ Technology®
- ▶ 18-gauge
- ▶ Coreless
- ▶ No irritation



TOUCHSCREEN

ANSI
A5
Cut

ANSI
6
Abrasion

ANSI
3
Puncture

CRINKLE LATEX

INNOVATIVE TECHNOLOGY

GPD585

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Non-marring



NON-MARRING

REINFORCED

ANSI
A5
Cut

ANSI
4
Abrasion

ANSI
4
Puncture

FOAM NEOPRENE

GPD524

- ▶ Para-aramid blend
- ▶ Arc Flash Level 2
- ▶ 13-gauge
- ▶ Flame and heat-resistant palm



TOUCHSCREEN

REINFORCED

ANSI
A5
Cut

ANSI
4
Abrasion

ANSI
5
Puncture

ARC FLASH 2
ATPV = 9.1 CAL/CM²


SHOP NOW



POLYURETHANE

GPD651RT

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Best value



INNOVATIVE TECHNOLOGY

DXPG62

- ▶ DX+ Technology®
- ▶ 13-gauge
- ▶ Coreless
- ▶ No irritation
- ▶ Cool to the touch



GPD800

- ▶ Hyperon®
- ▶ 13-gauge



GPD682

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity



NITRIX® GRIP

GPD665

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Best value



GPD820

- ▶ Hyperon®
- ▶ 13-gauge



PPD540

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Hi-vis
- ▶ Padded Palm



VERSATEK GRIP®

INNOVATIVE TECHNOLOGY

GPD683

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity



INNOVATIVE TECHNOLOGY

GPD683HV

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity
- ▶ Hi-vis



FOAM NEOPRENE

INNOVATIVE TECHNOLOGY

GPD644

- ▶ AeroDex® FR
- ▶ 18-Gauge
- ▶ Extreme Comfort
- ▶ Lightweight



OTHER

POLYURETHANE

INNOVATIVE TECHNOLOGY

GPD575HV

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Hi-vis



GPD782

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity



GPD982

- ▶ AeroDex®
- ▶ 13-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity



NITRIX®

GPD795

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ ¾ coat
- ▶ Double-dip
- ▶ Hi-vis



TRITEK PALM®

INNOVATIVE TECHNOLOGY

GPD748

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Hi-vis



OTHER

REPTEK® SILICONE

INNOVATIVE TECHNOLOGY

GPD787

- ▶ AeroDex®
- ▶ 13-gauge
- ▶ Adhesion resistant



INNOVATIVE TECHNOLOGY

GPD887H

- ▶ AeroDex®
- ▶ 13-gauge
- ▶ Adhesion resistant
- ▶ Contact Heat Level 5



VERSATEK GRIP®

INNOVATIVE TECHNOLOGY

GPD883

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Extreme dexterity



VERSATEK GRIP®

INNOVATIVE TECHNOLOGY

GPD984

- ▶ AeroDex®
- ▶ 18-gauge
- ▶ 50% lighter
- ▶ Superb grip



PCT455

- ▶ Hyperon®
- ▶ 18-gauge
- ▶ Puncture-resistant liner



WINTER – SANDY LATEX

GPD954W

- ▶ Hyperon® with acrylic fleece liner
- ▶ 10-gauge
- ▶ 50% lighter
- ▶ Superb grip



CRINKLE LATEX

INNOVATIVE TECHNOLOGY

GPD985

- ▶ Hyperon®
- ▶ 13-gauge
- ▶ Hi-Vis
- ▶ Non-marring



FLAT NITRILE

INNOVATIVE TECHNOLOGY

GPD986

- ▶ AeroDex®
- ▶ 13-gauge
- ▶ 50% lighter
- ▶ Superb grip
- ▶ NEAT tested



ROC General Purpose

POLYURETHANE

GP139

- ▶ 100% polyester
- ▶ 13-gauge



BP169

- ▶ 100% polyester
- ▶ 13-gauge
- ▶ Hides dirt



HV144

- ▶ 100% nylon
- ▶ 13-gauge
- ▶ Hi-vis



GP180

- ▶ 100% polyester
- ▶ 18-gauge
- ▶ Hides dirt



PU50ESD

- ▶ 100% nylon
- ▶ 15-gauge
- ▶ Electro-static discharge palm
- ▶ Silicone-free



PU58

- ▶ 100% nylon
- ▶ 15-gauge



GP150

- ▶ 100% nylon
- ▶ 15-gauge
- ▶ Silicone-free



GP210

- ▶ 100% Nylon
- ▶ 21-gauge



NITRIX® GRIP

GP500

- ▶ 100% polyester
- ▶ 13-gauge



ROC General Purpose

OTHER

NITRILE

GP161

- ▶ 100% polyester
- ▶ 13-gauge
- ▶ Hides dirt



FOAM NITRILE

GP102

- ▶ Sustainably manufactured palm coating
- ▶ 15-gauge
- ▶ 90% polyester (contains average 66% post-consumer recycled content)
- ▶ 100% Recycled Packaging
- ▶ Hides dirt



GP212

- ▶ Ultra-thin fibers
- ▶ 21-gauge
- ▶ Foam nitrile



HV100

- ▶ 100% polyester
- ▶ 15-gauge
- ▶ Silicone-free
- ▶ Foam nitrile
- ▶ Hi-vis



GP110

- ▶ Nylon & spandex blend
- ▶ 13-gauge
- ▶ Full coat
- ▶ Foam nitrile



LATEX

GP190

- ▶ 100% nylon
- ▶ 13-gauge



SHOP NOW



D-ROC Comparison Chart

		Gauge	Shell color	Coating color	Coating area	ANSI levels			Padded Palm	RTC	Silicone-free	Flame Resistant	Waterproof	Winter	Touchscreen	Sizes
Item #	Shell composition					Cut	Abrasion	Puncture								
ANSI CUT A2																
POLYURETHANE																
GPD213	Ultra-thin fiber blend	21	Salt & pepper	Gray	Palm	A2	4	2								5-12
GPD252	Hyperon®	15	Salt & pepper	Black	Palm	A2	4	2								5-12
GPD510	Hyperon®	13	Salt & pepper	Gray	Palm	A2	6	5								4-12
GPD580	Hyperon®	18	Salt & pepper	Black	Palm	A2	4	3								5-12
GPD282	Hyperon®	15	Salt & pepper	Gray	Palm	A2	6	3			*					4-12
GPD546	Hyperon®	13	Salt & pepper	Gray	Palm	A2	6	3			*					5-12
CT500	Hyperon® (ChromaTek®)	15	Black, red	Black	Palm	A2	6	4								5-12
NITRIX® GRIP																
GPD700	Hyperon®	13	Salt & pepper	Black	Palm	A2	6	4								6-12
GPD730	Hyperon®	13	Salt & pepper	Black	Full (double-dip)	A2	6	4								5-10
GPD249	Aramid	13	Salt & pepper	Black	Palm	A2	4	4		*						6-12
HV200W	100% Polyester with Insulcore® liner	13	Hi-vis yellow	Black	¾ Coat	A2	4	3						*		7-11
HV250W	100% Polyester with Insulcore® liner	13	Hi-vis orange	Black	Palm	A2	4	3					*	*		7-12
FOAM NITRILE																
GPD256	Hyperon®	15	Salt & pepper	Black	Palm	A2	4	3								5-12
BP200W	Nylon with Insulcore® liner	15	Black	Black	Palm	A2		3					*	*	*	6-12
GP149	100% polyester	13	Gray	Black	Palm	A2	4	2		*	*					6-12
TRITEK PALM™																
GPD248	Hyperon®	15	Hi-vis yellow	Black	Palm	A2	5	4							*	5-12
GP148	Nylon & spandex blend	15	Navy	Black	Palm	A2	4									5-12
LATEX																
GP400W	Acrylic with Insulcore® liner	10	Black	Black	Palm	A2	4	3						*		M-XL
ANSI CUT A3																
POLYURETHANE																
GPD520B	DuraBlend®	15	Black	Black	Palm	A3	4	2								5-12
GPD525HV	DuraBlend®	15	Hi-vis yellow	Hi-vis yellow	Palm	A3	4	2								5-12
GPD267	Hyperon®	15	Blue	Gray	Palm	A3	5	3							*	5-12
GPD352	Hyperon®	15	Salt & pepper	Black	Palm	A3	4	3								5-12
DXG22	DX Technology®	18	Hi-vis orange	Gray	Palm	A3	4	3								5-12
NITRIX® GRIP																
GPD255	Hyperon®	15	Salt & pepper	Black	Palm	A3	5	2								5-12
GPD350	Hyperon®	18	Teal	Teal	Full + palm (double-dip)	A3	4	3					*			8-12
FOAM NITRILE																
KEV4319	Aramid	13	Yellow	Gray	Palm	A3	4	2								5-12
GPD583	Hyperon®	18	Salt & pepper	Black	Palm	A3	4	4								5-12
ANSI CUT A4																
POLYURETHANE																
GPD452	DuraBlend®	13	Salt & pepper	Gray	Palm	A4	5	4								5-12
GPD514	Hyperon®	13	Salt & pepper	Gray	Palm	A4	5	5								5-12
GPD412	21-gauge Ultra-thin fiber blend	21	Gray	Gray	Palm	A4	3	4		*					*	5-12
GPD534	Hyperon®	10	Salt & pepper	Gray	Palm	A4	6	3								6-11
GPD545HV	Hyperon®	13	Hi-vis yellow	Hi-vis yellow	Palm	A4	4	4								5-12
GPD467	Hyperon®	15	Green	Gray	Palm	A4	6	4							*	5-12
GPD584	Hyperon®	18	Salt & pepper	Black	Palm	A4	4	4								5-12
KEV8627	Aramid with Steel	13	Yellow	Gray	Palm	A4	3	3								6-11
DXG42	DX Technology®	13	Hi-vis orange	Gray	Palm	A4	6	4								5-12
GPD482	AeroDex®	18	Blue	Black	Palm	A4	4	3							*	5-12
NITRIX® GRIP																
GPD455	DuraBlend®	13	Salt & pepper	Black	Palm	A4	5	4								5-12
GPD780	Hyperon®	10	Salt & pepper	Black	Palm	A4	4	4								6-12

D-ROC Comparison Chart

Item #	Shell composition	Gauge	Shell color	Coating color	Coating area	ANSI levels			Padded Palm	RTC	Silicone-free	Flame Resistant	Waterproof	Winter	Touchscreen	Sizes
						Cut	Abrasion	Puncture								
GPD780RT	Hyperon®	10	Salt & pepper	Black	Palm & thumb saddle	A4	4	4		*						6-12
GPD565HV	Hyperon®	13	Hi-vis yellow	Hi-vis orange	Palm	A4	4	4								5-12
GPD495	Hyperon®	13	Gray	Blue/Black	¾ Coat (double-dip)	A4	4	4								6-12
GPD484	Hyperon®	13	Blue	Black	Full (double-dip)	A4	5	3					*			7-11
HV550W	Hyperon® with Insulcore® liner	15	Hi-vis orange	Black	Palm	A4	5	5					*	*		7-11
FOAM NITRILE																
GPD456	DuraBlend®	13	Salt & pepper	Black	Palm	A4	4	4								5-12
GPD586	Hyperon®	18	Salt & pepper	Black	Palm	A4	5	4								5-12
GPD469	Hyperon®	18	Hi-vis yellow	Black & Hi-vis dots	Palm & thumb saddle	A4	4	4		*					*	5-12
GPD416	Hyperon®	21	Black	Gray	Palm	A4	3	3		*					*	5-12
TRITEK PALM®																
DXG48	DX Technology®	13	Hi-vis orange	Black	Palm	A4	6	3		*						5-12
LATEX																
KEV6529	100% Aramid	10	Yellow	Blue	Palm	A4	3	4								S-2XL
ANSI CUT A5																
POLYURETHANE																
GPD591	Hyperon®	13	Salt & pepper	Gray	Palm	A5	6	4								5-12
GPD590	Hyperon®	10	Salt & pepper	Gray	Palm	A5	6	3								4-12
DXPG52	DX+ Technology	15	Orange	Gray	Palm	A5	4	4								5-12
GPD824	Aramid	18	Teal	Black	Palm	A5	3	2								5-12
NITRIX® GRIP																
PPD520	DuraBlend®	15	Hi-vis yellow	Black	Palm	A5	3	3	*							5-12
GPD549	Aramid	13	Red	Black	Palm	A5	4	3		*						6-12
FOAM NITRILE																
GPD844	Aramid	18	Teal	Black	Palm	A5	4	2								5-12
GPD790HV	Hyperon® with steel	13	Hi-vis yellow	Hi-vis orange	Palm	A5	5	3								6-12
GPD486	AeroDex®	18	Blue	Black	Palm	A5	5	3							*	5-12
DXPG59Q	DX+ Technology®	18	Orange	Black	3/4 palm	A5	5	4								5-12
DXPG59F	DX+ Technology®	18	Orange	Black	Full coat	A5	5	4								5-12
GPD526W	Hyperon®	15	Black	Black	Palm	A5	5	4		*				*	*	5-12
FOAM NEOPRENE																
GPD524	Para-aramid blend	13	Yellow/Gray	Black	Palm	A5	4	5		*					*	5-12
REPTEK® SILICONE																
GPD487	Hyperon®	13	Salt & pepper	Clear	Palm	A5	6	3								5-12
VERSATEK GRIP®																
DXPG53	DX+ Technology®	18	Orange	Black	Palm	A5	6	3		*					*	5-12
CRINKLE LATEX																
GPD585	Hyperon®	13	Gray/red	Blue	Palm	A5	4	4		*						5-12
ANSI CUT A6																
POLYURETHANE																
GPD651RT	Hyperon®	13	Dark Gray	Black	Palm & thumb saddle	A6	5	4		*					*	5-12
DXPG62	DX+ Technology®	13	Orange	Gray	Palm	A6	6	4								5-12
GPD800	Hyperon® with steel	13	Dark Gray	Gray	Palm	A6	6	4							*	5-12
GPD682	AeroDex®	18	Blue	Gray	Palm	A6	5	3		*					*	5-12
NITRIX® GRIP																
GPD665	Hyperon®	13	Dark Gray	Black	Palm	A6	5	5		*					*	5-12
GPD820	Hyperon® with steel	13	Dark Gray	Black	Palm	A6	5	5							*	5-12
PPD540	Hyperon®	13	Hi-vis yellow	Black	Palm	A6	4	5	*							5-12
VERSATEK GRIP®																
GPD683	AeroDex®	18	Blue	Black	Palm	A6	6	3							*	5-12
GPD683HV	AeroDex®	18	Hi-vis yellow	Hi-vis orange	Palm	A6	6	3							*	5-12
FOAM NEOPRENE																
GPD644	AeroDex® FR	18	Yellow	Black	Palm	A6	3	4		*		*			*	5-12

Why Magid?

As **your true partner in safety**, our mission is to provide the expertise and revolutionary innovations in PPE that help you keep your workers safe. The relationships we build with our customers drive everything we do as we get to know you and your unique needs. Our **skilled manufacturing** provides the latest innovations and technologies in PPE that you can't get anywhere else. Our **worldwide network of suppliers** gives you access to the top brands in safety. We have everything you need to **increase safety, reduce spend, and supercharge your workers!** Since 1946, fourth generation and family-owned, safety isn't just a job, it's our legacy.



D-ROC[®]

CUT-RESISTANT COATED GLOVES

magidglove.com

1300 Naperville Drive, Romeoville, IL 60446

800-444-8030 | Fax: 773-384-6677
marketing@magidglove.com | magidglove.com

THE PRODUCTS
YOU NEED

THE FLEXIBILITY
YOU WANT

THE EXPERTS
YOU TRUST

SHOP NOW



revised 11/2025

