



SERIES 3

Full-Body Harness

Builds on the foundation set by the Series 1 Harness, with its sleek padding and numerous configuration options. Long days on the job require equipment that keeps you comfortable and safe, giving you the freedom to focus on the task ahead.

**HEIGHT SAFETY.
SIMPLIFIED.**

Distributed by Engineered Fall Protection
sales@engineeredfallprotection.com
www.engineeredfallprotection.com
Tel: (314) 492-4422

SERIES 3

Full-Body Harness



Key features & benefits

Series 1 features

The Series 3 comes standard with all Series 1 features

Snap-on shoulder padding

Less bulk wicks & evaporates sweat from the body

Spring loaded torso adjusters

Provides quicker adjustment

Optional waist pad w/ removable belt

Better breath-ability with greater support & tool bag stability

Built-in SRL connector loop

Frees up the dorsal D-ring for ladder climbing or rescue

Specifications

User weight range (including all clothing, tools, and equipment)

OSHA & CSA | 100-420 lbs

ANSI | 130-310 lbs

Materials | Polyester & zinc-plated steel

Buckle types



Pass-Through



Tongue-Buckle



Quick-Connect

Declaration of conformity

This product has been tested in an ISO 17025 accredited laboratory in accordance with all requirements specified by **ANSI Z359.7-2019**.

This product is compliant with the following safety regulations and consensus standard:

ANSI Z359.11-2021 | OSHA 1910.140 & 1926.502 | CSA Z259.10-2018

Distributed by Engineered Fall Protection

sales@engineeredfallprotection.com

www.engineeredfallprotection.com

Tel: (314) 492-4422




Designed, tested,
and assembled in
the **United States**

SERIES 3

Full-Body Harness



Sizing guide



Part numbers	Chest	Legs	Waist	Side D-rings	Shoulder D-rings	Sternal D-ring	Sizes
37100, 37101, 37102, 37103	PT	PT	-	-	-	-	XS-S, M-L, XL-XXL, XXXL
37104, 37105, 37106, 37107	PT	TB	-	-	-	-	XS-S, M-L, XL-XXL, XXXL
37108, 37109, 37110, 37111	PT	PT	-	●	-	-	XS-S, M-L, XL-XXL, XXXL
37112, 37113, 37114, 37115	PT	TB	-	●	-	-	XS-S, M-L, XL-XXL, XXXL
37116, 37117, 37118, 37119	QC	TB	-	-	-	-	XS-S, M-L, XL-XXL, XXXL
37120, 37121, 37122, 37123	QC	TB	-	●	-	-	XS-S, M-L, XL-XXL, XXXL
37124, 37125, 37126, 37127	QC	TB	-	-	-	●	XS-S, M-L, XL-XXL, XXXL
37128, 37129, 37130, 37131	QC	TB	-	●	-	●	XS-S, M-L, XL-XXL, XXXL
37132, 37133, 37134, 37135	QC	TB	-	-	●	-	XS-S, M-L, XL-XXL, XXXL
37136, 37137, 37138, 37139	QC	TB	-	●	●	-	XS-S, M-L, XL-XXL, XXXL
37140, 37141, 37142, 37143	QC	TB	-	-	●	●	XS-S, M-L, XL-XXL, XXXL
37144, 37145, 37146, 37147	QC	TB	-	●	●	●	XS-S, M-L, XL-XXL, XXXL
37148, 37149, 37150, 37151	QC	QC	-	-	-	-	XS-S, M-L, XL-XXL, XXXL
37152, 37153, 37154, 37155	QC	QC	-	●	-	-	XS-S, M-L, XL-XXL, XXXL
37156, 37157, 37158, 37159	QC	QC	-	-	-	●	XS-S, M-L, XL-XXL, XXXL
37160, 37161, 37162, 37163	QC	QC	-	●	-	●	XS-S, M-L, XL-XXL, XXXL
37164, 37165, 37166, 37167	QC	QC	-	-	●	-	XS-S, M-L, XL-XXL, XXXL
37168, 37169, 37170, 37171	QC	QC	-	●	●	-	XS-S, M-L, XL-XXL, XXXL

PT = Pass-Through | TB = Tongue-Buckle | QC = Quick-Connect

Declaration of conformity

This product has been tested in an ISO 17025 accredited laboratory in accordance with all requirements specified by **ANSI Z359.7-2019**.

This product is compliant with the following safety regulations and consensus standard:

ANSI Z359.11-2021 | OSHA 1910.140 & 1926.502 | CSA Z259.10-2018

Distributed by Engineered Fall Protection

sales@engineeredfallprotection.com

www.engineeredfallprotection.com

Tel: (314) 492-4422



Designed, tested,
and assembled in
the **United States**

SERIES 3

Full-Body Harness



Part numbers	Chest	Legs	Waist	Side D-rings	Shoulder D-rings	Sternal D-ring	Sizes
37172, 37173, 37174, 37175	QC	QC	-	-	●	●	XS-S, M-L, XL-XXL, XXXL
37176, 37177, 37178, 37179	QC	QC	-	●	●	●	XS-S, M-L, XL-XXL, XXXL
37180, 37181, 37182, 37183	PT	PT	TB	-	-	-	XS-S, M-L, XL-XXL, XXXL
37184, 37185, 37186, 37187	PT	TB	TB	-	-	-	XS-S, M-L, XL-XXL, XXXL
37188, 37189, 37190, 37191	PT	PT	TB	●	-	-	XS-S, M-L, XL-XXL, XXXL
37192, 37193, 37194, 37195	PT	TB	TB	●	-	-	XS-S, M-L, XL-XXL, XXXL
37196, 37197, 37198, 37199	QC	TB	TB	-	-	-	XS-S, M-L, XL-XXL, XXXL
37200, 37201, 37202, 37203	QC	TB	TB	●	-	-	XS-S, M-L, XL-XXL, XXXL
37204, 37205, 37206, 37207	QC	TB	TB	-	-	●	XS-S, M-L, XL-XXL, XXXL
37208, 37209, 37210, 37211	QC	TB	TB	●	-	●	XS-S, M-L, XL-XXL, XXXL
37212, 37213, 37214, 37215	QC	TB	TB	-	●	-	XS-S, M-L, XL-XXL, XXXL
37216, 37217, 37218, 37219	QC	TB	TB	●	●	-	XS-S, M-L, XL-XXL, XXXL
37220, 37221, 37222, 37223	QC	TB	TB	-	●	●	XS-S, M-L, XL-XXL, XXXL
37224, 37225, 37226, 37227	QC	TB	TB	●	●	●	XS-S, M-L, XL-XXL,
37228, 37229, 37230, 37231	QC	QC	TB	-	-	-	XS-S, M-L, XL-XXL, XXXL
37232, 37233, 37234, 37235	QC	QC	TB	●	-	-	XS-S, M-L, XL-XXL, XXXL
37236, 37237, 37238, 37239	QC	QC	TB	-	-	●	XS-S, M-L, XL-XXL, XXXL
37240, 37241, 37242, 37243	QC	QC	TB	●	-	●	XS-S, M-L, XL-XXL, XXXL
37244, 37245, 37246, 37247	QC	QC	TB	-	●	-	XS-S, M-L, XL-XXL, XXXL
37248, 37249, 37250, 37251	QC	QC	TB	●	●	-	XS-S, M-L, XL-XXL, XXXL
37252, 37253, 37254, 37255	QC	QC	TB	-	●	●	XS-S, M-L, XL-XXL, XXXL
37256, 37257, 37258, 37259	QC	QC	TB	●	●	●	XS-S, M-L, XL-XXL, XXXL

PT = Pass-Through | TB = Tongue-Buckle | QC = Quick-Connect

Declaration of conformity

This product has been tested in an ISO 17025 accredited laboratory in accordance with all requirements specified by **ANSI Z359.7-2019**.

This product is compliant with the following safety regulations and consensus standard:

ANSI Z359.11-2021 | OSHA 1910.140 & 1926.502 | CSA Z259.10-2018



Designed, tested,
and assembled in
the **United States**