



**Your experts for
safety, facility
and equipment
identification**

Product Catalog

Universal Absorbency

BradyID.com/s36

Universal Absorbency for Water- or Oil-Based Fluids

All-purpose absorbents clean-up oils, coolants, solvents and water-based fluids anywhere in your facility.

Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects — they are your first choice for indoor spill control. Plus, their gray color masks spills and stains, helping you resist the urge to pick up the absorbent before it is fully saturated.




Liquids absorbed

- Coolants
- Solvents
- Oils
- Latex paint
- Gasoline
- Vegetable oil
- Kerosene
- Water-based fluids

Popular applications

- Wiping tools
- Small spills
- Under leaky pipes
- Around liquid storage containers
- Around machinery
- In messy traffic areas
- Under dripping valves
- General purpose maintenance



MRO Plus® Absorbents


- Brady SPC's number one universal absorbent and the standard in all-purpose, gray maintenance absorbents
- Universal absorbency handles most fluids (water, petroleum and chemical-based)
- 3-ply (MMM) meltblown polypropylene construction increases durability and reduces lint

Features

- For oils, coolants, solvents and water-based fluids
- Top and bottom coverstock (3-ply)
- High durability
- Medium linting
- Perforated and dimpled
- Gray color masks spills
- Heavy, medium and light weights
- Cost: \$ \$ \$



Recommended applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas and liquid storage areas



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
MRO50	Heavy-weight pad	30 in. x 30 in.	Yes, 15 in.	12.5	41	26.5	11	50/case
MRO150DND	Heavy-weight pad *	15 in. x 19 in.	Yes, 7.5 in.	12.5	39	27	18	150/case
MRO100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	26	17.5	30	100/case
MRO100-2	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	13.5	8	36	50/bale
MRO300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	12.5	20.5	14	30	100/case
Rolls								
MRO30-DP	Heavy-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	49	32	12	1/case
MRO30P	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	12.5	49	32	12	1/case
MRO30	Heavy-weight roll	30 in. x 150 ft.	No	12.5	49	33	12	1/case
MRO15-DP	Heavy-weight roll	15 in. x 150 ft.	Yes, 7.5 in. and 12 in. across	12.5	24	17.5	24	1/case
MRO15P	Heavy-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	24	17.5	24	1/case
MRO15	Heavy-weight roll	15 in. x 150 ft.	No	12.5	24	17.5	24	1/case
MRO350-DP	Medium-weight roll	30 in. x 150 ft.	Yes, 15 in. and every 15 in.	12.5	38	26.5	12	1/case
MRO315P	Medium-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	20	14	24	1/case
MRO215P	Light-weight roll	15 in. x 150 ft.	Yes, every 18 in.	12.5	12	8	24	1/bale

*Features Dispense-N-Dispose® System



GP “General Purpose” Absorbents

- Economical general purpose absorbents offer the look, feel and performance of a premium product
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Efficient single-ply construction with MAXX® Technology — absorption and strength without the extra weight

Features

- For oils, coolants, solvents and water-based fluids
- No coverstock (1-ply)
- Medium durability
- Medium linting
- Perforated and dimpled
- Gray color masks spills
- Heavy, medium and light weights
- Cost: \$ \$

Recommended applications

- Anywhere there is a leak, spill or drip
- Ideal for industrial settings such as machine shops, maintenance or manufacturing
- Under leaky pipes and machinery

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
GP100	Heavy-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	30	12	30	100/case
GP300	Medium-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	25	10	30	100/bale
GP200	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	44	16	22	200/case
GP500	Light-weight pad	15 in. x 19 in.	Yes, 7.5 in.	20	22	8.2	30	100/case
MXU1000	Light-weight pad (non-dimpled)	15 in. x 19 in.	Yes, 7.5 in.	24	27	8	30	100/case
Rolls								
GP30	Heavy-weight roll	30 in. x 150 ft.	No	13	48	28	12	1/bale



BASIC Universal Absorbents

- Value-priced universal all-purpose absorbent
- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Economical single-ply pads and rolls made of universal meltblown polypropylene

Features

- For oils, coolants, solvents and water-based fluids
- No coverstock (1-ply)
- Light durability
- High linting
- Perforated and dimpled
- Gray color masks spills
- Heavy and light weights
- Cost: \$

Recommended applications

- Anywhere there is a leak, spill or drip
- General industrial applications
- Manufacturing, printing and transportation

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity
Pads								
BPU100	Heavy-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	20.5	8.5	30	100/bale
BPU200	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	34	13.7	24	200/bale
BPU500	Light-weight pad	15 in. x 17 in.	Yes, 7.5 in.	18	17	7	36	100/bale
Rolls								
BRU150	Heavy-weight roll	30 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	1/bale
BRU152	Heavy-weight split roll	15 in. x 150 ft.	Yes, every 30 in.	14.5	38	19.5	18	2/bale