

Product Specifications

Item #TRX641



T-REX[®]
by Magid

Magid® T-REX® Slim-Fit Mechanic's Style Impact Glove – Cut Level 5

PRODUCT DESCRIPTION

Product Classification	Cut Resistant Work Glove – Impact
Construction/Design	Cut & sewn dotted palm with impact protection on back of hand
Composition	PVC dots on synthetic leather palm, hi-vis yellow spandex backing; thermoplastic rubber (TPR) pads on the back of the hand and fingers, extending to fingertips
Color(s)	Black synthetic leather palm, hi-vis yellow shell, orange/black TPR, black cuff
Size(s)	XS to 4XL
Cuff/Finish	1" Neoprene™ cuff; hook and loop closure with pull tag
Unit of Measure	Pair
Packaging	12 pairs per pack; 60 pairs per case

FEATURES & BENEFITS

- Mechanic's style impact glove is well suited for a wide range of jobs, both dry and light oil conditions
- Slim fit provides greater dexterity with superior ability to pick up small objects
- Pre-curved fingers reduce hand fatigue, which leads to higher glove compliance
- PVC dots on synthetic leather palm for enhanced grip in oily conditions
- Short 1" Neoprene™ cuff with pull tag for easy on/off
- Hook & Loop closure on cuff provides snug fit at wrist
- Soft and flexible full TPR sewn pads extend all the way to the fingertips to deflect and absorb impacts
- High-visibility construction enhances worker protection and ensures worker compliance
- ANSI Level A5 Cut Resistance, ANSI Level 4 Abrasion Resistance and ANSI Level 3 Puncture Resistance
- ANSI/ISEA 138 Impact Level 2 (Level 2 protection on knuckles and Level 2 protection on fingers)
- Machine wash, air dry

APPLICATIONS

Oil & gas rigging, fracking, refining, manufacturing, heavy construction, light construction, demolition, agriculture, emergency response, military, extraction, mining, steelwork, ironwork, tool work, maintenance, supervisory, towing, automotive

AVAILABLE STYLES

Size	XS	S	M	L	XL	2XL	3XL	4XL
Item Number	TRX641XS	TRX641S	TRX641M	TRX641L	TRX641XL	TRX6412XL	TRX6413XL	TRX6414XL

FUNCTIONAL PERFORMANCE**US Standard: ANSI/ISEA 105-2011 American National Standard for Hand Protection Selection Criteria**

Test Method	Clause	ANSI Level
ASTM F-1790-97 Cut Resistant	-	A5
ASTM D3389-05 Abrasion Resistance (Using H-18 wheel with a 1000-gram load)	-	4
EN 388:2003 Puncture Resistance	6.4	3

US Standard: ANSI/ISEA 138-2019 American National Standard for Performance and Classification for Impact-Resistant Gloves

Test Method	Clause	ANSI Level
ISEA 138:201x Impact Protection (Overall)	-	2
ISEA 138:201x Impact Protection (Knuckles)	-	2
ISEA 138:201x Impact Protection (Fingers and Thumb)	-	2

SERVICE LIFE

The service life of this product will vary depending on the application and type of care administered. This product should be replaced immediately once a critical or major defect (as defined below) is noted.

Critical Defects	Holes/tears
Major Defects	Dimensional or weight nonconformance, discoloration, other fabric defects

LAUNDERING GUIDELINES

Machine wash in cold water and air dry. Do not bleach. Do not machine dry. Do not iron.

GENERAL INFORMATION

CAUTION – This product is cut and puncture resistant, not cut and puncture proof. Do not use near moving or serrated blades.

Originator	Carrie Halle	Date	5/10/2016	
Revised By	Kim Schultz	Date	9/26/2023	Revision # 6

Please note: Specifications are subject to change.

Neither this nor any statement made by or on behalf of Magid Glove & Safety herein is a warranty that any product is fit for a particular purpose, and Magid Glove & Safety shall not be liable to anyone with respect to this information.

© Magid Glove & Safety Mfg. Co. LLC. Magid® is a registered trademark of Magid Glove & Safety Mfg. Co. LLC. All other trademarks are the property of their respective owners. This document is the property of Magid Glove & Safety and the information contained herein is proprietary to Magid.