

# Product Specifications

Item #TRX647



**T-REX™**  
by Magid

## Magid® T-REX™ Anti-Slip Palm Impact Glove – Cut Level A4

For jobs that require impact and cut protection, the TRX647 Anti-Slip Impact Glove features anti-fatigue curved fingers and an anti-slip palm that provides excellent grip in wet, dry and oily conditions.

### PRODUCT DESCRIPTION

<b>Product Classification</b>	Impact Glove – Cut Resistant
<b>Construction/Design</b>	Cut & sewn anti-slip palm with impact protection on back of hand, fingers and fingertips and pre-curved fingers
<b>Composition</b>	Hi-viz green spandex backing; thermoplastic rubber (TPR) pads on the back of the hand and fingers; Keoprotec® reinforced thumb saddle
<b>Color(s)</b>	Hi-viz green shell, red TPR, red anti-slip palm, black neoprene cuff
<b>Size(s)</b>	XS-4XL
<b>Cuff/Finish</b>	Neoprene cuff with hook & loop closure and I.D. pull tab
<b>Unit of Measure</b>	Pair
<b>Packaging</b>	12 pairs per inner pack, 5 inner packs per case (60 pairs per case)

### FEATURES & BENEFITS

- ANSI Cut Level A4 protection under the ANSI/ISEA 105-2016 standard
- Anti-slip palm for enhanced grip in oily conditions
- Kevlar® stitching on the palm for durability
- Full TPR coverage for back-of-the-hand impact protection
- Pre-curved fingers for all day comfort without fatigue
- Neoprene cuff with hook and loop closure and I.D. pull tab for easy on and off
- Abrasion and tear resistant Keoprotec reinforced thumb saddle
- ANSI Level 5 Abrasion Resistance, ANSI Level 5 Puncture Resistance, EN388 Level 5 Cut Resistance

### APPLICATIONS

Oil & gas drilling, emergency response, military, extraction, refining, fracking, rigging, mining, demolition, heavy construction, ironwork, light construction, material handling, tool work, equipment maintenance, supervisory, towing

**AVAILABLE STYLES**

<b>Size</b>	<b>XS</b>	<b>S</b>	<b>M</b>	<b>L</b>	<b>XL</b>	<b>2XL</b>	<b>3XL</b>	<b>4XL</b>
<b>Item Number</b>	TRX647XS	TRX647S	TRX647M	TRX647L	TRX647XL	TRX647XXL	TRX647XXXL	TRX647XXXXL

**FUNCTIONAL PERFORMANCE**

**US Standard: ANSI/ISEA 105-2016 American National Standard for Hand Protection Selection Criteria**

<b>Test Method</b>	<b>Clause</b>	<b>ANSI Level</b>
ASTM F2992 Cut Resistance	-	A4
ASTM D3389-05 Abrasion Resistance (Using H-18 wheel with a 1000 gram load)	-	5
EN 388:2003 Puncture Resistance	6.4	5

**US Standard: ANSI/ISEA 105-2011 American National Standard for Hand Protection Selection Criteria**

<b>Test Method</b>	<b>Clause</b>	<b>ANSI Level</b>
ASTM F-1790-97 Cut Resistance	-	4

**European Standard: EN 388:2003 Protective Gloves Against Mechanical Risks**

<b>Test Method</b>	<b>Clause</b>	<b>EN Level</b>
Blade Cut Resistance	6.2	5

**SERVICE LIFE**

The service life of this product will vary depending on the application and type of care administered. This product should be replaced immediately once a critical or major defect (as defined below) is noted.

<b>Critical Defects</b>	Holes/tears
<b>Major Defects</b>	Dimensional or weight nonconformance, discoloration, other fabric defects

**LAUNDERING GUIDELINES**

Machine wash in cold water and air dry. Do not bleach. Do not machine dry. Do not iron.

**GENERAL INFORMATION**

**CAUTION** – This product is cut and puncture resistant, not cut and puncture proof. Do not use near moving or serrated blades.

<b>Originator</b>	Sarah Anderson	<b>Date</b>	06/29/15	
<b>Revised By</b>	Carrie Halle	<b>Date</b>	07/20/16	<b>Revision #</b> 4

Please note: Specifications are subject to change.

Neither this nor any statement made by or on behalf of Magid Glove & Safety herein is a warranty that any product is fit for a particular purpose, and Magid Glove & Safety shall not be liable to anyone with respect to this information.

© Magid Glove & Safety Mfg. Co. LLC. Magid® is a registered trademark of Magid Glove & Safety Mfg. Co. LLC. All other trademarks are the property of their respective owners. This document is the property of Magid Glove & Safety and the information contained herein is proprietary to Magid.