

Product Specifications

Item # TRX848



T-REX[®]

by Magid

Magid[®] T-REX[®] Inferno Series™ TRX848 FR M-Force Defense System™ Cow Grain Welders Impact Glove – Cut Level A4

PRODUCT DESCRIPTION

Product Classification	Impact Gloves – Cut Resistant
Construction/Design	Cut and sewn, Gunn cut pattern, keystone thumb, shirred elastic at wrist, 3 ½” gauntlet cuff, knit liner extending to bottom of cuff; impact protection on back of hand and fingers
Composition	Cow grain leather shell; split leather cuff; para-aramid knit liner, para-aramid stitching; thermoplastic rubber (TPR) pads on the back of the hand, fingers, and fingertips
Color(s)	White leather; grey leather cuff; hi-vis orange and grey TPR; white, black, and red TPR patch
Size(s)	S-4XL
Unit of Measure	Pair
Packaging	12 pairs per inner pack, 48 pairs per case

FEATURES & BENEFITS

- Flame Resistant M-Force Defense System™ back-of-hand protection deflects and absorbs impacts while delivering protection from heat and open flame
- Premium cow grain leather shell provides dexterity and abrasion resistance
- Stitched-in para-aramid blend knit fabric liner delivers an optimal fit and dependable cut protection
- Para-aramid stitching maintains heat & flame resistance and strengthens the glove
- Fully lined 3 ½” Gauntlet Cuff extends protection past your hands
- Gunn cut pattern increases comfort and dexterity
- ANSI Level A4 Cut Resistance, ANSI Level 4 Abrasion Resistance, and ANSI Level 4 Puncture Resistance
- ANSI/ISEA 138 Impact Level 1 (Level 1 protection on knuckles and Level 1 protection on fingers)
- ANSI EN 407 Limited Flame Spread Level 4

APPLICATIONS

Welding, brazing, oil & gas rigging and refining, utilities, manufacturing, heavy construction, demolition, agriculture, emergency response, military, mining, steelwork, ironwork, automotive, and metal stamping.

AVAILABLE STYLES

Size	S	M	L	XL	XXL	XXXL	XXXXL
Item #	TRX848S	TRX848M	TRX848L	TRX848XL	TRX848XXL	TRX848XXXL	TRX848XXXXL

FUNCTIONAL PERFORMANCE

US Standard: ANSI/ISEA 105 American National Standard for Hand Protection Selection Criteria

Test Method	Clause	ANSI Level
ASTM F2992 Cut Resistance	-	A4
ASTM D3389 Abrasion Resistance (Using H-18 wheel with a 1000-gram load)	-	4
EN 388 Puncture Resistance		4

US Standard: ANSI/ISEA 138-2019 American National Standard for Performance and Classification for Impact-Resistant Gloves

Test Method	Clause	ANSI Level
ISEA 138: Impact Protection (Overall)	-	1
ISEA 138: Impact Protection (Knuckles)	-	1
ISEA 138: Impact Protection (Fingers and Thumb)	-	1

European Standard: EN 407: Protection Against Thermal Risks (Heat and/or Fire)

Test Method	Clause	EN Level
ANSI EN 407 Limited Flame Spread	5.1	Pass/Level 4

SERVICE LIFE

The service life of this product will vary depending on the application and type of care administered. This product should be replaced immediately once a critical or major defect (as defined below) is noted.

Critical Defects	Holes/tears
Major Defects	Dimensional or weight nonconformance, discoloration, other fabric defects

LAUNDERING GUIDELINES

For best results, leather gloves should be dry-cleaned only.

Originator	Scott Daigle	Date	10/25/2018	
Revised By	Kim Schultz	Date	02/26/2024	Revision # 5

Please note: Specifications are subject to change.

Neither this nor any statement made by or on behalf of Magid Glove & Safety herein is a warranty that any product is fit for a particular purpose, and Magid Glove & Safety shall not be liable to anyone with respect to this information.

© Magid Glove & Safety Mfg. Co. LLC. Magid® is a registered trademark of Magid Glove & Safety Mfg. Co. LLC. All other trademarks are the property of their respective owners. This document is the property of Magid Glove & Safety and the information contained herein is proprietary to Magid.

WD